



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

1. How would you describe your general health?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Excellent, 2 Very good, 3 Good, 4 Fair, 5 Poor, 6 Don't know, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

2A1. Have you received information on the following topics from your college or university?

Alcohol and other drug use

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

2A2. Have you received information on the following topics from your college or university?

Cold/Flu/Sore Throat

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

2A3. Have you received information on the following topics from your college or university?

Depression/Anxiety

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

2A4. Have you received information on the following topics from your college or university?

Eating disorders

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

2A5. Have you received information on the following topics from your college or university?

Grief and loss

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

2A6. Have you received information on the following topics from your college or university?
How to help others in distress

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A7. Have you received information on the following topics from your college or university?
Injury prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A8. Have you received information on the following topics from your college or university?
Nutrition

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A9. Have you received information on the following topics from your college or university?
Physical activity

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A10. Have you received information on the following topics from your college or university?
Pregnancy prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B1. Have you received information on the following topics from your college or university?
Problem use of internet/computer games

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B2. Have you received information on the following topics from your college or university?
Relationship difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

2B3. Have you received information on the following topics from your college or university? Sexual assault/Relationship violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B4. Have you received information on the following topics from your college or university? Sexually transmitted disease/ Infection (STD/I) prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B5. Have you received information on the following topics from your college or university? Sleep difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B6. Have you received information on the following topics from your college or university? Stress reduction

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B7. Have you received information on the following topics from your college or university? Suicide prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B8. Have you received information on the following topics from your college or university? Tobacco use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B9. Have you received information on the following topics from your college or university? Violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

3A1. Are you interested in receiving information on the following topics from your college or university? Alcohol and other drug use

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A2. Are you interested in receiving information on the following topics from your college or university? Cold/Flu/Sore throat

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A3. Are you interested in receiving information on the following topics from your college or university? Depression/Anxiety

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A4. Are you interested in receiving information on the following topics from your college or university? Eating disorders

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A5. Are you interested in receiving information on the following topics from your college or university? Grief and loss

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A6. Are you interested in receiving information on the following topics from your college or university? How to help others in distress

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

3A7. Are you interested in receiving information on the following topics from your college or university? Injury prevention

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

3A8. Are you interested in receiving information on the following topics from your college or university?

Nutrition

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3A9. Are you interested in receiving information on the following topics from your college or university?

Physical activity

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3A10. Are you interested in receiving information on the following topics from your college or university?

Pregnancy prevention

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3B1. Are you interested in receiving information on the following topics from your college or university?

Problem use of Internet/computer games

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3B2. Are you interested in receiving information on the following topics from your college or university?

Relationship difficulties

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3B3. Are you interested in receiving information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

3B4. Are you interested in receiving information on the following topics from your college or university?

Sexually transmitted disease/Infection (STD/I) prevention

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

3B5. Are you interested in receiving information on the following topics from your college or university? Sleep difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B6. Are you interested in receiving information on the following topics from your college or university? Stress reduction

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B7. Are you interested in receiving information on the following topics from your college or university? Suicide prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B8. Are you interested in receiving information on the following topics from your college or university? Tobacco use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B9. Are you interested in receiving information on the following topics from your college or university? Violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4A. Within the last 12 months, how often did you: Wear a seatbelt when you rode in car?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

4B. Within the last 12 months, how often did you:
Wear a helmet when you rode a bicycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4C. Within the last 12 months, how often did you:
Wear a helmet when you rode a motorcycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4D. Within the last 12 months, how often did you:
Wear a helmet when you were inline skating?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5A. Within the last 12 months:
Were you in a physical fight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5B. Within the last 12 months:
Were you physically assaulted (do not include sexual assault)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

5C. Within the last 12 months:

Were you verbally threatened?

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

5D. Within the last 12 months:

Were you sexually touched without your consent?

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

5E. Within the last 12 months:

Was sexual penetration attempted (vaginal, anal, oral) without your consent?

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

5F. Within the last 12 months:

Were you sexually penetrated (vaginal, anal, oral) without your consent?

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

5G. Within the last 12 months:

Were you a victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated emails/phone calls)?

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

6A. Within the last 12 months, have you been in an intimate (coupled/partnered) relationship that was:

Emotionally abusive? (e.g., called derogatory names, yelled at, ridiculed)

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

6B. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was:

Physically abusive? (e.g., kicked, slapped, punched)

Table with 9 columns: Male (Freq, Pct), Female (Freq, Pct), Unknown (Freq, Pct), Total (Freq, Pct). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

6C. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was: Sexually abusive? (e.g., forced to have sex when you didn't want it, forced to perform an unwanted sexual act on you)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7A. Do you feel safe on this campus (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7B. Do you feel safe on this campus (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7C. Do you feel safe in the community surrounding this school (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7D. Do you feel safe in the community surrounding this school (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A1. Within the last thirty days, on how many days did you use: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

8A2. Within the last thirty days, on how many days did you use:

Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A3. Within the last thirty days, on how many days did you use:

Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A4. Within the last thirty days, on how many days did you use:

Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A5. Within the last thirty days, on how many days did you use:

Alcohol (beer, wine, liquor)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

8A6. Within the last thirty days, on how many days did you use:

Marijuana (pot, weed, hashish, hash oil)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Never used', '2 Have used, but not in last 30', '3 1 - 2 days', '4 3 - 5 days', '5 6 - 9 days', '6 10 - 19 days', '7 20 - 29 days', '8 Used daily', and 'Valid responses = 307 35 558 64 10 1 875 99.4'.

Invalid responses include no response or multiple responses.

8A7. Within the last thirty days, on how many days did you use:

Cocaine (crack, rock, freebase)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Never used', '2 Have used, but not in last 30', '3 1 - 2 days', '4 3 - 5 days', '5 6 - 9 days', '6 10 - 19 days', '7 20 - 29 days', '8 Used daily', and 'Valid responses = 306 35 558 64 10 1 874 99.3'.

Invalid responses include no response or multiple responses.

8A8. Within the last thirty days, on how many days did you use:

Methamphetamine (crystal, meth, ice, crank)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Never used', '2 Have used, but not in last 30', '3 1 - 2 days', '4 3 - 5 days', '5 6 - 9 days', '6 10 - 19 days', '7 20 - 29 days', '8 Used daily', and 'Valid responses = 308 35 557 64 10 1 875 99.4'.

Invalid responses include no response or multiple responses.

8A9. Within the last thirty days, on how many days did you use:

Other amphetamines (diet pills, bennies)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Never used', '2 Have used, but not in last 30', '3 1 - 2 days', '4 3 - 5 days', '5 6 - 9 days', '6 10 - 19 days', '7 20 - 29 days', '8 Used daily', and 'Valid responses = 302 35 557 64 10 1 869 98.8'.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

Louisiana State University
March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

8B1. Within the last thirty days, on how many days did you use:

Sedatives (downers, ludes)?

	Male		Female		Unknown		Total Freq.	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.		
1 Never used	290	94	522	93	10	100	822	93.7
2 Have used, but not in last 30	17	6	23	4	0	0	40	4.6
3 1 - 2 days	0	0	9	2	0	0	9	1.0
4 3 - 5 days	0	0	0	0	0	0	0	0.0
5 6 - 9 days	0	0	1	0	0	0	1	0.1
6 10 - 19 days	0	0	1	0	0	0	1	0.1
7 20 - 29 days	0	0	1	0	0	0	1	0.1
8 Used daily	1	0	2	0	0	0	3	0.3
Valid responses =	308	35	559	64	10	1	877	99.7

Invalid responses include no response or multiple responses.

8B2. Within the last thirty days, on how many days did you use:

Hallucinogens (LSD, PCP)?

	Male		Female		Unknown		Total Freq.	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.		
1 Never used	281	91	531	95	10	100	822	93.8
2 Have used, but not in last 30	24	8	25	5	0	0	49	5.6
3 1 - 2 days	2	1	1	0	0	0	3	0.3
4 3 - 5 days	0	0	1	0	0	0	1	0.1
5 6 - 9 days	0	0	0	0	0	0	0	0.0
6 10 - 19 days	0	0	0	0	0	0	0	0.0
7 20 - 29 days	0	0	0	0	0	0	0	0.0
8 Used daily	1	0	0	0	0	0	1	0.1
Valid responses =	308	35	558	64	10	1	876	99.5

Invalid responses include no response or multiple responses.

8B3. Within the last thirty days, on how many days did you use:

Anabolic steroids (Testosterone)?

	Male		Female		Unknown		Total Freq.	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.		
1 Never used	295	96	554	99	10	100	859	97.9
2 Have used, but not in last 30	8	3	4	1	0	0	12	1.4
3 1 - 2 days	0	0	0	0	0	0	0	0.0
4 3 - 5 days	0	0	0	0	0	0	0	0.0
5 6 - 9 days	1	0	1	0	0	0	2	0.2
6 10 - 19 days	0	0	0	0	0	0	0	0.0
7 20 - 29 days	2	1	0	0	0	0	2	0.2
8 Used daily	2	1	0	0	0	0	2	0.2
Valid responses =	308	35	559	64	10	1	877	99.7

Invalid responses include no response or multiple responses.

8B4. Within the last thirty days, on how many days did you use:

Opiates (heroin, smack)?

	Male		Female		Unknown		Total Freq.	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.		
1 Never used	297	97	549	98	10	100	856	97.8
2 Have used, but not in last 30	9	3	7	1	0	0	16	1.8
3 1 - 2 days	0	0	1	0	0	0	1	0.1
4 3 - 5 days	0	0	0	0	0	0	0	0.0
5 6 - 9 days	0	0	0	0	0	0	0	0.0
6 10 - 19 days	0	0	0	0	0	0	0	0.0
7 20 - 29 days	0	0	0	0	0	0	0	0.0
8 Used daily	1	0	1	0	0	0	2	0.2
Valid responses =	307	35	558	64	10	1	875	99.4

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

8B5.. Within the last thirty days, on how many days did you use:

Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Never used'.

Invalid responses include no response or multiple responses.

8B6. Within the last thirty days, on how many days did you use:

MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Never used'.

Invalid responses include no response or multiple responses.

8B7. Within the last thirty days, on how many days did you use:

Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Never used'.

Invalid responses include no response or multiple responses.

8B8. Within the last thirty days, on how many days did you use:

Other illegal drugs?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Never used'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

9A1. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A2. Within the last thirty days, how often do you think the typical student at your school used: Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A3. Within the last thirty days, how often do you think the typical student at your school used: Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A4. Within the last thirty days, how often do you think the typical student at your school used: Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

9A5. Within the last thirty days, how often do you think the typical student at your school used: Alcohol (beer, wine, liquor)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A6. Within the last thirty days, how often do you think the typical student at your school used: Marijuana (pot, weed, hashish, hash oil)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A7. Within the last thirty days, how often do you think the typical student at your school used: Cocaine (crack, rock, freebase)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A8. Within the last thirty days, how often do you think the typical student at your school used: Methamphetamine (crystal meth, ice, crank)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

www.acha.org

**9A9. Within the last thirty days, how often do you think the typical student at your school used:
Other amphetamine (diet pills, bennies)?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Never used	117	39	155	28	3	38	275	31.9	
2 Have used, but not in last 30	64	21	117	21	0	0	181	21.0	
3 1 - 2 days	58	19	103	19	1	13	162	18.8	
4 3 - 5 days	25	8	51	9	2	25	78	9.0	
5 6 - 9 days	14	5	46	8	0	0	60	7.0	
6 10 - 19 days	13	4	39	7	1	13	53	6.1	
7 20 - 29 days	9	3	13	2	0	0	22	2.6	
8 Used daily	4	1	26	5	1	13	31	3.6	
Valid responses =	304	35	550	64	8	1	862	98.0	

Invalid responses include no response or multiple responses.

**9B1. Within the last thirty days, how often do you think the typical student at your school used:
Sedatives (downers, ludes)?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Never used	117	39	155	28	5	71	277	32.1	
2 Have used, but not in last 30	64	21	127	23	0	0	191	22.1	
3 1 - 2 days	57	19	107	19	1	14	165	19.1	
4 3 - 5 days	30	10	63	11	0	0	93	10.8	
5 6 - 9 days	20	7	50	9	1	14	71	8.2	
6 10 - 19 days	9	3	25	5	0	0	34	3.9	
7 20 - 29 days	4	1	12	2	0	0	16	1.9	
8 Used daily	2	1	14	3	0	0	16	1.9	
Valid responses =	303	35	553	64	7	1	863	98.1	

Invalid responses include no response or multiple responses.

**9B2. Within the last thirty days, how often do you think the typical student at your school used:
Hallucinogens (LSD, PCP)?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Never used	129	43	196	35	5	71	330	38.2	
2 Have used, but not in last 30	73	24	142	26	0	0	215	24.9	
3 1 - 2 days	47	16	93	17	1	14	141	16.3	
4 3 - 5 days	23	8	57	10	1	14	81	9.4	
5 6 - 9 days	18	6	29	5	0	0	47	5.4	
6 10 - 19 days	1	0	20	4	0	0	21	2.4	
7 20 - 29 days	9	3	9	2	0	0	18	2.1	
8 Used daily	3	1	8	1	0	0	11	1.3	
Valid responses =	303	35	554	64	7	1	864	98.2	

Invalid responses include no response or multiple responses.

**9B3. Within the last thirty days, how often do you think the typical student at your school used:
Anabolic steroids (Testosterone)?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Never used	141	47	186	34	5	71	332	38.5	
2 Have used, but not in last 30	52	17	119	22	0	0	171	19.8	
3 1 - 2 days	52	17	77	14	1	14	130	15.1	
4 3 - 5 days	27	9	71	13	1	14	99	11.5	
5 6 - 9 days	15	5	51	9	0	0	66	7.6	
6 10 - 19 days	7	2	26	5	0	0	33	3.8	
7 20 - 29 days	5	2	14	3	0	0	19	2.2	
8 Used daily	3	1	10	2	0	0	13	1.5	
Valid responses =	302	35	554	64	7	1	863	98.1	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

9B4. Within the last thirty days, how often do you think the typical student at your school used: Opiates (heroin, smack)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B5. Within the last thirty days, how often do you think the typical student at your school used: Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B6. Within the last thirty days, how often do you think the typical student at your school used: MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B7. Within the last thirty days, how often do you think the typical student at your school used: Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

9B8. Within the last thirty days, how often do you think the typical student at your school used: Other illegal drugs?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10. The last time you "partied"/socialized, how many alcoholic drinks did you have?

Table with 9 columns: Drinks, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

11. The last time you "partied"/socialized, how many hours did you drink alcohol?

Table with 9 columns: Hours, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

12. How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized?

Drinks	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	9	3	21	4	0	0	30	3.5
1-2	25	8	21	4	1	17	47	5.4
3-4	93	31	192	35	2	33	287	33.1
5-6	100	33	229	41	3	50	332	38.3
7-8	41	14	57	10	0	0	98	11.3
9-10	25	8	29	5	0	0	54	6.2
11-12	8	3	5	1	0	0	13	1.5
13-14	0	0	0	0	0	0	0	0.0
15-16	0	0	1	0	0	0	1	0.1
GE 17	3	1	1	0	0	0	4	0.5
Valid responses=	304	35	556	64	6	1	866	98.4

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	5.33	5.00	2.93	0	20
Female	5.10	5.00	4.23	0	90
Overall	5.18	5.00	3.81	0	90

13. Over the last two weeks, how many times have you had five or more drinks of alcohol at a sitting?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 N/A, Don't drink	58	19	98	18	2	25	158	18.0
2 None	120	39	288	52	4	50	412	47.0
3 1 time	55	18	72	13	1	13	128	14.6
4 2 times	27	9	48	9	0	0	75	8.6
5 3 times	24	8	23	4	1	13	48	5.5
6 4 times	16	5	12	2	0	0	28	3.2
7 5 times	2	1	6	1	0	0	8	0.9
8 6 times	2	1	5	1	0	0	7	0.8
9 7 times	0	0	1	0	0	0	1	0.1
10 8 times	2	1	1	0	0	0	3	0.3
11 9 times	0	0	2	0	0	0	2	0.2
12 10 or more times	4	1	2	0	0	0	6	0.7
Valid responses=	310	35	558	64	8	1	876	99.5

Invalid responses include no response or multiple responses.

14A. Within the last thirty days, did you: Drive after drinking any alcohol at all?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	42	14	51	9	2	25	95	10.9
2 Not applicable/Don't drink	54	18	89	16	2	25	145	16.6
3 No	129	42	285	51	3	38	417	47.9
4 Yes	83	27	130	23	1	13	214	24.6
Valid responses =	308	35	555	64	8	1	871	99.0

Invalid responses include no response or multiple responses.

14B. Within the last thirty days, did you: Drive after having 5 or more drinks?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	41	13	55	10	2	25	98	11.3
2 Not applicable/Don't drink	56	18	89	16	2	25	147	16.9
3 No	195	64	401	72	4	50	600	69.1
4 Yes	14	5	9	2	0	0	23	2.6
Valid responses =	306	35	554	64	8	1	868	98.6

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

15A. During the last 12 months, when you "partied"/socialized, how often did you:
Alternate non-alcoholic with alcoholic beverages?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15B. During the last 12 months, when you "partied"/socialized, how often did you:
Avoid drinking games?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15C. During the last 12 months, when you "partied"/socialized, how often did you:
Choose not to drink alcohol?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15D. During the last 12 months, when you "partied"/socialized, how often did you:
Determine, in advance, not to exceed a set number of drinks?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

15E. During the last 12 months, when you "partied"/socialized, how often did you: Eat before and/or during drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15F. During the last 12 months, when you "partied"/socialized, how often did you: Have a friend let you know when you've had enough?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15G. During the last 12 months, when you "partied"/socialized, how often did you: Keep track of how many drinks you were having?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15H. During the last 12 months, when you "partied"/socialized, how often did you: Pace your drinks to 1 or fewer per hour?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

15I. During the last 12 months, when you "partied"/socialized, how often did you: Stay with the same group of friends the entire time you were drinking?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15J. During the last 12 months, when you "partied"/socialized, how often did you: Stick with only one kind of alcohol when drinking?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15K. During the last 12 months, when you "partied"/socialized, how often did you: Use a designated driver?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16A. Within the last 12 months, have you experienced any of the following when drinking alcohol: Did something you later regretted?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16B. Within the last 12 months, have you experienced any of the following when drinking alcohol: Forgot where you were or what you did?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

16C. Within the last 12 months, have you experienced any of the following when drinking alcohol: Got in trouble with the police?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16D. Within the last 12 months, have you experienced any of the following when drinking alcohol: Someone had sex with me without my consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16E. Within the last 12 months, have you experienced any of the following when drinking alcohol: Had sex with someone without their consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16F. Within the last 12 months, have you experienced any of the following when drinking alcohol: Had unprotected sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16G. Within the last 12 months, have you experienced any of the following when drinking alcohol: Physically injured yourself?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16H. Within the last 12 months, have you experienced any of the following when drinking alcohol: Physically injured another person?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

16I. Within the last 12 months, have you experienced any of the following when drinking alcohol: Seriously considered suicide?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

17A. Within the last 30 days, what percent of students at your school used cigarettes? State your best estimate.

Table with 9 columns: Percent, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Summary table with 6 columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

17B. Within the last 30 days, what percent of students at your school used alcohol? State your best estimate.

Table with 9 columns: Percent, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Summary table with 6 columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

17C. Within the last 30 days, what percent of students at your school used marijuana? State your best estimate.

Percent	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	7	2	8	1	0	0	15	1.7
1-10	65	22	61	11	1	14	127	14.7
11-20	60	20	78	14	1	14	139	16.1
21-30	55	18	103	19	0	0	158	18.3
31-40	42	14	100	18	3	43	145	16.8
41-50	29	10	67	12	1	14	97	11.2
51-60	12	4	55	10	0	0	67	7.8
61-70	10	3	30	5	1	14	41	4.8
71-80	17	6	40	7	0	0	57	6.6
81-90	3	1	10	2	0	0	13	1.5
91-99	2	1	2	0	0	0	4	0.5
Valid responses =	302	35	554	64	7	1	863	98.1

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	30.02	25.00	22.31	0	98
Female	38.66	38.00	21.91	0	98
Overall	35.62	30.00	22.39	0	98

**18A. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:
Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	305	99	542	98	7	100	854	98.0
2 Yes	4	1	13	2	0	0	17	2.0
Valid responses =	309	35	555	64	7	1	871	99.0

Invalid responses include no response or multiple responses.

**18B. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:
Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	301	97	551	99	7	100	859	98.6
2 Yes	8	3	4	1	0	0	12	1.4
Valid responses =	309	35	555	64	7	1	871	99.0

Invalid responses include no response or multiple responses.

**18C. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:
Pain killers (e.g., OxyContin, Vicodin, Codeine)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	286	93	519	94	7	100	812	93.5
2 Yes	21	7	35	6	0	0	56	6.5
Valid responses =	307	35	554	64	7	1	868	98.6

Invalid responses include no response or multiple responses.

**18D. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:
Sedatives (e.g., Xanax, Valium)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	298	96	529	96	7	100	834	95.9
2 Yes	11	4	25	5	0	0	36	4.1
Valid responses =	309	36	554	64	7	1	870	98.9

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

Louisiana State University
March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

**18E. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:
Stimulants (e.g., Ritalin, Adderall)?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	276	89	483	87	6	86	765	87.8	
2 Yes	33	11	72	13	1	14	106	12.2	
Valid responses =	309	35	555	64	7	1	871	99.0	

Invalid responses include no response or multiple responses.

19. Within the last 12 months, with how many partners have you had oral sex, vaginal intercourse or anal intercourse?

Partners	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
0	87	28	168	30	3	50	258	29.8	
1	137	45	259	47	3	50	399	46.0	
2	33	11	60	11	0	0	93	10.7	
3	17	6	31	6	0	0	48	5.5	
4	13	4	16	3	0	0	29	3.3	
5	2	1	7	1	0	0	9	1.0	
6	2	1	6	1	0	0	8	0.9	
7	3	1	0	0	0	0	3	0.3	
8	3	1	2	0	0	0	5	0.6	
GE 9	9	3	6	1	0	0	15	1.7	
Valid responses =	306	35	555	64	6	1	867	98.5	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	1.75	1.00	3.71	0	43
Female	1.24	1.00	1.58	0	14
Overall	1.41	1.00	2.55	0	43

20A. Within the last 12 months, did you have sexual partner(s) who were: Female?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	111	36	508	96	5	83	624	74.2	
2 Yes	196	64	20	4	1	17	217	25.8	
Valid responses =	307	37	528	63	6	1	841	95.6	

Invalid responses include no response or multiple responses.

20B. Within the last 12 months, did you have sexual partner(s) who were: Male?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	267	91	176	32	4	67	447	52.6	
2 Yes	25	9	376	68	2	33	403	47.4	
Valid responses =	292	34	552	65	6	1	850	96.6	

Invalid responses include no response or multiple responses.

20C. Within the last 12 months, did you have sexual partner(s) who were: Transgender?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	286	99	519	99	6	100	811	99.3	
2 Yes	2	1	4	1	0	0	6	0.7	
Valid responses =	288	35	523	64	6	1	817	92.8	

Invalid responses include no response or multiple responses.

21A. Within the last 30 days, did you have: Oral sex?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No, Never done this sexual act	86	28	149	27	2	33	237	27.3	
2 No, Have, but not last 30 days	84	27	171	31	1	17	256	29.5	
3 Yes	139	45	234	42	3	50	376	43.3	
Valid responses =	309	36	554	64	6	1	869	98.8	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

21B. Within the last 30 days, did you have: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

21C. Within the last 30 days, did you have: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22A. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Oral sex?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22B. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22C. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

23A. Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B1. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control pills (monthly or extended cycle)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B2. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control shots?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B3. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control implants?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B4. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control patch?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B5. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Cervical ring?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B6. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Intrauterine device (IUD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

23B7. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Male condom?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B8. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Female condom?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B9. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Diaphragm or cervical cap?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B10. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Contraceptive sponge?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B11. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Spermicide (e.g., foam, jelly, cream)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B12. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Fertility awareness (e.g., calendar, mucous, basal body temperature)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B13. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Withdrawal?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B14. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Sterilization (e.g., hysterectomy, tubes tied, or vasectomy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

23B15. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Other method?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses=.

24. Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 N/A N vaginal intercourse 12 m, 2 No, 3 Yes, 4 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

25. Within the last 12 months, have you or your partner become pregnant?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 N/A, No vaginal intercourse 12 m, 2 No, 3 Yes, unintentionally, 4 Yes, intentionally, 5 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

26. How would you describe your weight?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Very underweight, 2 Slightly underweight, 3 About the right weight, 4 Slightly overweight, 5 Very overweight, Valid responses =.

Invalid responses include no response or multiple responses.

27. Are you trying to do any of the following about your weight?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 I am not trying to do anything, 2 Stay the same weight, 3 Lose weight, 4 Gain weight, Valid responses =.

Invalid responses include no response or multiple responses.

28. How many servings of fruits and vegetables do you usually have per day?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 0 servings per day, 2 1-2 servings per day, 3 3-4 servings per day, 4 5 or more servings per day, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

29A. On how many of the past 7 days did you:

Do moderate intensity cardio or aerobic exercise for at least 30 minutes?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.), and horizontal bar chart for Pct. Rows include 1 0 days, 2 1 day, 3 2 days, 4 3 days, 5 4 days, 6 5 days, 7 6 days, 8 7 days, and Valid responses =.

Invalid responses include no response or multiple responses.

29B. On how many of the past 7 days did you:

Do vigorous intensity cardio or aerobic exercise for at least 20 minutes?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.), and horizontal bar chart for Pct. Rows include 1 0 days, 2 1 day, 3 2 days, 4 3 days, 5 4 days, 6 5 days, 7 6 days, 8 7 days, and Valid responses =.

Invalid responses include no response or multiple responses.

29C. On how many of the past 7 days did you:

Do 8-10 strength training exercises for 8-12 repetitions each?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.), and horizontal bar chart for Pct. Rows include 1 0 days, 2 1 day, 3 2 days, 4 3 days, 5 4 days, 6 5 days, 7 6 days, 8 7 days, and Valid responses =.

Invalid responses include no response or multiple responses.

30A. Have you ever felt things were hopeless?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.), and horizontal bar chart for Pct. Rows include 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

30B. Have you ever felt overwhelmed by all you had to do?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30C. Have you ever felt exhausted (not from physical activity)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30D. Have you ever felt very lonely?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30E. Have you ever felt very sad?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30F. Have you ever felt so depressed that it was difficult to function?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

30G. Have you ever felt overwhelming anxiety?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, Valid responses =.

Invalid responses include no response or multiple responses.

30H. Have you ever felt overwhelming anger?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, Valid responses =.

Invalid responses include no response or multiple responses.

30I. Have you ever intentionally cut, burned, bruised, or otherwise injured yourself?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, Valid responses =.

Invalid responses include no response or multiple responses.

30J. Have you ever seriously considered suicide?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, Valid responses =.

Invalid responses include no response or multiple responses.

30K. Have you ever attempted suicide?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 Not in last 12 months, 3 In the last 2 weeks, 4 In the last 30 days, 5 In the last 12 months, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

31A1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Anorexia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

31A2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

31A3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

31A4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Bipolar Disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

31A5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Bulimia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for 'No', 'Yes, diagnosed not treated', 'Yes, treated with medication', 'Yes, treated with psychotherap', 'Yes, treated meds + psychothe', 'Yes, other treatment', and 'Valid responses ='. Total N=873.

Invalid responses include no response or multiple responses.

31A6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for 'No', 'Yes, diagnosed not treated', 'Yes, treated with medication', 'Yes, treated with psychotherap', 'Yes, treated meds + psychothe', 'Yes, other treatment', and 'Valid responses ='. Total N=874.

Invalid responses include no response or multiple responses.

31A7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Insomnia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for 'No', 'Yes, diagnosed not treated', 'Yes, treated with medication', 'Yes, treated with psychotherap', 'Yes, treated meds + psychothe', 'Yes, other treatment', and 'Valid responses ='. Total N=872.

Invalid responses include no response or multiple responses.

31A8. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other sleep disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for 'No', 'Yes, diagnosed not treated', 'Yes, treated with medication', 'Yes, treated with psychotherap', 'Yes, treated meds + psychothe', 'Yes, other treatment', and 'Valid responses ='. Total N=868.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

31B1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Obsessive Compulsive Disorder (OCD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Panic Attacks?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Phobia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Schizophrenia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

31B5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Substance abuse or addiction (alcohol or other drugs)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes, diagnosed not treated', '3 Yes, treated with medication', '4 Yes, treated with psychotherap', '5 Yes, treated meds + psychothe', '6 Yes, other treatment', and 'Valid responses ='. Total Pct. is 99.3.

Invalid responses include no response or multiple responses.

31B6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other addiction (e.g., gambling, internet, sexual)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes, diagnosed not treated', '3 Yes, treated with medication', '4 Yes, treated with psychotherap', '5 Yes, treated meds + psychothe', '6 Yes, other treatment', and 'Valid responses ='. Total Pct. is 99.8.

Invalid responses include no response or multiple responses.

31B7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other mental health condition?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes, diagnosed not treated', '3 Yes, treated with medication', '4 Yes, treated with psychotherap', '5 Yes, treated meds + psychothe', '6 Yes, other treatment', and 'Valid responses ='. Total Pct. is 98.7.

Invalid responses include no response or multiple responses.

32. Have you ever been diagnosed with depression?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 85.4.

Invalid responses include no response or multiple responses.

33A. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Academics?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 51.0.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

33B. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Career related issue?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33C. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Death of a family member or friend?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33D. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Family problems?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33E. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Intimate relationships?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33F. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Other relationships?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33G. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Finances?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.

33H. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Health problem of a family member or partner?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

33I. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Personal appearance?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33J. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Personal health issue?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33K. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Sleep difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33L. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Other?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34A. Have you ever received psychological or mental health services from any of the following: Counselor/Therapist/Psychologist?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34B. Have you ever received psychological or mental health services from any of the following: Psychiatrist?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34C. Have you ever received psychological or mental health services from any of the following: Other medical provider (e.g., physician, nurse practitioner)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

34D. Have you ever received psychological or mental health services from any of the following: Minister/Priest/Rabbi/Other clergy?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

35. Have you ever received psychological or mental health services from your current college/university's Counseling or Health Service?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

36. If in the future you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

37. Within the last 12 months, how would you rate the overall level of stress you have experienced?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38A. Within the last 30 days, did you do any of the following: Exercise to lose weight?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38B. Within the last 30 days, did you do any of the following: Diet to lose weight?

Table with 9 columns: Response, Male Freq/Pct, Female Freq/Pct, Unknown Freq/Pct, Total Freq/Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

38C. Within the last 30 days, did you do any of the following:
Vomit or take laxatives to lose weight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38D. Within the last 30 days, did you do any of the following:
Take diet pills to lose weight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39A. Have you had a dental exam and cleaning in the last 12 months?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39B. Have you (Males) performed testicular self exam in the last 30 days?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39C. Have you (Females) performed breast self exam in the last 30 days?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39D. Have you (Females) had a routine gynecological exam in the last 12 months?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39E. Have you used sunscreen regularly with sun exposure?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

39F. Have you ever been tested for Human Immunodeficiency Virus (HIV) infection?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

40A. Have you received the following vaccinations (shots or series of shots): Hepatitis B?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

40B. Have you received the following vaccinations (shots series of shots): Human Papillomavirus/HPV (cervical cancer vaccine)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

40C. Have you received the following vaccinations (shots series of shots): Influenza (the flu) in the last 12 months (shot or nasal mist)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

40D. Have you received the following vaccinations (shots series of shots): Measles, Mumps, Rubella?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

40E. Have you received the following vaccinations (shots): Meningococcal disease (meningococcal meningitis)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

40F. Have you received the following vaccinations (shots):
Varicella (chicken pox)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A1. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Allergies?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A2. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Asthma?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A3. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Back pain?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A4. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Broken bone/Fracture/Sprain?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A5. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Bronchitis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

41A6. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Chlamydia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

41A7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Diabetes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A8. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Ear infection?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A9. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Endometriosis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A10. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital Herpes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A11. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital warts/Human Papillomavirus (HPV)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A12. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Gonorrhea?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41A13. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Hepatitis B or C?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

41B1. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High blood pressure?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B2. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High cholesterol?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B3. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Human Immunodeficiency Virus (HIV)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B4. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Irritable Bowel Syndrome?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B5. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Migraine headache?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B6. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Mononucleosis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Pelvic Inflammatory Disease (PID)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

41B8. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Repetitive stress injury (e.g., carpal tunnel syndrome)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B9. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Sinus infection?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B10. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Strep throat?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B11. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Tuberculosis?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B12. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Urinary tract infection?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

42. On how many of the past 7 days did you get enough sleep so that you felt rested when you woke up in the morning?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 0 days, 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

43. In the past 7 days, how much of a problem have you had with sleepiness during your daytime activities?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44A. In the past 7 days, how often have you awoken too early in the morning and couldn't get back to sleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44B. In the past 7 days, how often have you felt tired, dragged out, or sleepy during the day?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44C. In the past 7 days, how often have you gone to bed because you could not stay awake any longer?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

44D. In the past 7 days, how often have you had an extremely hard time falling asleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A1. Within the last 12 months, have any of the following affected your academic performance: Alcohol use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A2. Within the last 12 months, have any of the following affected your academic performance: Allergies?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A3. Within the last 12 months, have any of the following affected your academic performance: Anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45A4. Within the last 12 months, have any of the following affected your academic performance: Assault (physical)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A5. Within the last 12 months, have any of the following affected your academic performance: Assault (sexual)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A6. Within the last 12 months, have any of the following affected your academic performance: Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A7. Within the last 12 months, have any of the following affected your academic performance: Cold/Flu/Sore throat?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45A8. Within the last 12 months, have any of the following affected your academic performance: Concern for a troubled friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B1. Within the last 12 months, have any of the following affected your academic performance: Chronic health problem or serious illness (e.g. diabetes, asthma, cancer)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B2. Within the last 12 months, have any of the following affected your academic performance: Chronic pain?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B3. Within the last 12 months, have any of the following affected your academic performance: Death of a friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45B4. Within the last 12 months, have any of the following affected your academic performance: Depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B5. Within the last 12 months, have any of the following affected your academic performance: Discrimination (e.g., homophobia, racism, sexism)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B6. Within the last 12 months, have any of the following affected your academic performance: Drug use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B7. Within the last 12 months, have any of the following affected your academic performance: Eating disorder/problem?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45B8. Within the last 12 months, have any of the following affected your academic performance: Finances?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C1. Within the last 12 months, have any of the following affected your academic performance: Gambling?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C2. Within the last 12 months, have any of the following affected your academic performance: Homesickness?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C3. Within the last 12 months, have any of the following affected your academic performance: Injury (e.g., fracture, sprain, strain, cut)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45C4. Within the last 12 months, have any of the following affected your academic performance: Internet use/computer games?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C5. Within the last 12 months, have any of the following affected your academic performance: Learning disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C6. Within the last 12 months, have any of the following affected your academic performance: Participation in extracurricular activities (e.g., campus clubs, organizations, athletics)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C7. Within the last 12 months, have any of the following affected your academic performance: Pregnancy (yours or your partner's)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

www.acha.org

45C8. Within the last 12 months, have any of the following affected your academic performance: Relationship difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D1. Within the last 12 months, have any of the following affected your academic performance: Roommate difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D2. Within the last 12 months, have any of the following affected your academic performance: Sexually transmitted disease/infection (STD/I)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D3. Within the last 12 months, have any of the following affected your academic performance: Sinus infection/Ear infection/Bronchitis/Strep throat?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

45D4. Within the last 12 months, have any of the following affected your academic performance: Sleep difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D5. Within the last 12 months, have any of the following affected your academic performance: Stress?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D6. Within the last 12 months, have any of the following affected your academic performance: Work?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D7. Within the last 12 months, have any of the following affected your academic performance: Other?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

46. How old are you?

Age (Years)	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
18	18	6	63	11	1	25	82	9.4	
19	44	14	106	19	1	25	151	17.3	
20	54	17	101	18	1	25	156	17.9	
21	40	13	84	15	0	0	124	14.2	
22	43	14	61	11	1	25	105	12.0	
23	19	6	32	6	0	0	51	5.8	
24	16	5	21	4	0	0	37	4.2	
25	7	2	14	3	0	0	21	2.4	
26	11	4	11	2	0	0	22	2.5	
27	11	4	8	1	0	0	19	2.2	
28	13	4	12	2	0	0	25	2.9	
29	4	1	7	1	0	0	11	1.3	
30	5	2	6	1	0	0	11	1.3	
31	5	2	3	1	0	0	8	0.9	
GE 32	20	7	30	5	0	0	50	5.7	
Valid responses =	310	36	559	64	4	0	873	99.2	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	22.97	21.00	5.05	18.00	58.00
Female	22.01	21.00	4.85	18.00	53.00
Overall	22.34	21.00	4.93	18.00	58.00

47. What is your gender?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Female	0	0	559	100	0	0	559	63.5	
2 Male	310	100	0	0	0	0	310	35.2	
3 Transgender	0	0	0	0	0	0	0	0.0	
Valid responses =	310	35	559	64	11	1	880	100.0	

Invalid responses include no response or multiple responses.

48. What is your sexual orientation?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Heterosexual	285	92	512	92	1	100	798	92.0	
2 Gay/Lesbian	15	5	11	2	0	0	26	3.0	
3 Bisexual	6	2	21	4	0	0	27	3.1	
4 Unsure	4	1	12	2	0	0	16	1.8	
Valid responses =	310	36	556	64	1	0	867	100.0	

Invalid responses include no response or multiple responses.

49. Height in inches?

Inches	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
low-36	0	0	0	0	0	0	0	0.0	
37-48	0	0	0	0	0	0	0	0.0	
49-60	1	0	41	7	1	33	43	5.0	
61-72	242	80	512	92	2	67	756	87.6	
73-84	61	20	3	1	0	0	64	7.4	
GE 85	0	0	0	0	0	0	0	0.0	
Valid responses =	304	35	556	64	3	0	863	98.1	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	70.37	70.00	2.81	60.00	84.00
Female	64.50	64.00	2.83	54.00	74.00
Overall	66.56	66.00	4.01	51.00	84.00



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013 Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

50. What is your weight in pounds?

Table with 9 columns: Pounds, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

51. What is your year in school?

Table with 9 columns: Year, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

52. What is your enrollment status?

Table with 9 columns: Enrollment Status, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

53. Have you transferred to this college or university within the last 12 months?

Table with 9 columns: Transfer Status, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

54. How do you usually describe yourself?

Table with 9 columns: Race/Ethnicity, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

55. Are you an international student?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 No', '2 Yes', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

56. What is your relationship status?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 Not in a relationship', '2 In relationship not living together', '3 In relationship living together', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

57. What is your marital status?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 Single', '2 Married/Partnered', '3 Separated', '4 Divorced', '5 Other', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

58. Where do you currently live?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 Campus residence hall', '2 Fraternity or sorority house', '3 Other college/university housing', '4 Parent/guardian's house', '5 Other off-campus housing', '6 Other', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

59. Are you a member of a social fraternity or sorority?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 No', '2 Yes', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

60. How many hours a week do you work for pay?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include '1 0 hours', '2 1 - 9 hours', '3 10 - 19 hours', '4 20 - 29 hours', '5 30 - 39 hours', '6 40 hours', '7 more than 40 hours', and 'Valid responses ='. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)
Institutional Data Report - Spring 2013**

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

Louisiana State University
March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

61. How many hours a week do you volunteer?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 0 hours	219	73	318	58	1	25	538	63.2	
2 1 - 9 hours	70	23	202	37	2	50	274	32.2	
3 10 - 19 hours	6	2	19	4	1	25	26	3.1	
4 20 - 29 hours	7	2	5	1	0	0	12	1.4	
5 30 - 39 hours	0	0	0	0	0	0	0	0.0	
6 40 hours	0	0	1	0	0	0	1	0.1	
7 more than 40 hours	0	0	0	0	0	0	0	0.0	
Valid responses =	302	35	545	64	4	0	851	96.7	

Invalid responses include no response or multiple responses.

62. What is your primary source of health insurance?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 College/university sponsored p	59	19	53	10	0	0	112	13.0	
2 Parents' plan	198	65	402	73	3	75	603	69.8	
3 Another plan	27	9	47	9	0	0	74	8.6	
4 Don't have health insurance	19	6	46	8	1	25	66	7.6	
5 Not sure if I have insurance	3	1	6	1	0	0	9	1.0	
Valid responses =	306	35	554	64	4	0	864	98.2	

Invalid responses include no response or multiple responses.

63. What is your approximate cumulative grade point average?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 A	131	43	213	39	4	100	348	40.5	
2 B	118	39	261	48	0	0	379	44.1	
3 C	52	17	66	12	0	0	118	13.7	
4 D/F	4	1	3	1	0	0	7	0.8	
5 N/A	1	0	6	1	0	0	7	0.8	
Valid responses =	306	36	549	64	4	0	859	97.6	

Invalid responses include no response or multiple responses.

64A. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Varsity?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 No	291	95	532	97	3	75	826	96.4	
2 Yes	14	5	16	3	1	25	31	3.6	
Valid responses =	305	36	548	64	4	0	857	97.4	

Invalid responses include no response or multiple responses.

64B. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Club sports?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 No	273	90	516	95	3	75	792	92.8	
2 Yes	31	10	29	5	1	25	61	7.2	
Valid responses =	304	36	545	64	4	0	853	96.9	

Invalid responses include no response or multiple responses.

64C. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Intramurals?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 No	201	66	462	84	2	50	665	77.3	
2 Yes	105	34	88	16	2	50	195	22.7	
Valid responses =	306	36	550	64	4	0	860	97.7	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

65A. Do you have any of the following:

Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65B. Do you have any of the following:

Chronic illness (e.g., cancer, diabetes, auto-immune disorders)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65C. Do you have any of the following:

Deafness/Hearing loss?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65D. Do you have any of the following:

Learning disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65E. Do you have any of the following:

Mobility/Dexterity disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65F. Do you have any of the following:

Partially sightedness/Blindness?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

65G. Do you have any of the following:

Psychiatric condition?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Institutional Data Report - Spring 2013

Louisiana State University

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 21, 2013
FREQUENCY REPORT
Number of Surveys (n) = 880 Web Surveys

65H. Do you have any of the following: Speech or language disorder?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 97.8.

Invalid responses include no response or multiple responses.

65I. Do you have any of the following: Other disability?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 97.7.

Invalid responses include no response or multiple responses.

66. Are you currently or have been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes deployed hazardous duty', '3 Yes not deployed hazardous dt', and 'Valid responses ='. Total Pct. is 98.3.

Invalid responses include no response or multiple responses.